Appendix C

Intensive Survey Report

Contract No. 68-C-02-109 Task Order 2003-0003

Intensive Survey Report

Date: October 31, 2003

TMDL Development for Dissolved Oxygen and Nutrients for Bayou Lafourche Subsegment (020401) in the Barataria Basin, Louisiana

Prepared for.

Sondra McDonald, Task Order Manager (Mcdonald.sondra@epa.gov)

Golam Mustafa, Technical Reviewer (Mustafa.Golam@epa.gov)

U.S. Environmental Protection Agency



Submitted by:

The Cadmus Group, Inc. 57 Water Street Watertown, MA 02472



Table of Contents

A. Introduction	2
B. Quality Assurance/Quality Control (QA/QC)	3
B.1. Field QA/QC	
B.2. Laboratory QA/QC	3
B.3. Field Sampling Summary	3
B.3.1. LDEQ Routine Monitoring Station 0111 near Larose	4
B.3.2. Company Canal	4
B.3.3. LDEQ Routine Monitoring Station 0293 near Thibodaux	4
B.3.4. Cancienne Canal	4
B.3.5. LDEQ Routine Monitoring Station 0023 near Donaldsonville	5
B.4. Sampling Preservation and Handling	5
C. Sampling Results	5
C.1. Field Sampling Results	5
C.2. Analytical Sampling Results	5
List of Tables	
Table 1. Summary of Sample Locations and Information Collected	2
Table 2. Summary of <i>In situ</i> Measurements for Bayou Lafourche Field Survey	
Table 3. List of Water Quality Sampling Parameters, Methods, and Supporting Information	6
Table 4. Summary of Instream Water Quality Parameters	7

A. Introduction

Cadmus team staff conducted an intensive survey on September 23, 2003 to collect additional data to support the development of Total Maximum Daily Loads (TMDLs) for dissolved oxygen (DO) and nutrients in Bayou Lafourche Subsegment 020401. All sampling was conducted in accordance with the EPA approved Field Sampling Quality Assurance Project Plan (QAPP) that was developed for the Bayou Lafourche intensive survey field work. *In situ* measurements and analytical samples were collected from three locations in Bayou Lafourche and from two major tributaries to the subsegment. A summary of sample station locations and the data collected at each location is provided below in Table 1. The station locations was determined using a handheld global positioning system (GPS) unit (Garmin GPS 48).

No flow measurements or hydrogeometric survey measurements were taken during this intensive survey. Real-time flow rates were obtained from U.S. Geological Survey (USGS) for the Donaldsonville (USGS Gauge Number 07381401), Thibodaux (USGS Gauge Number 07338100), and Company Canal (USGS Gauge Number 07381350). No real-time flow data for the Larose and Cancienne Canal sites exist. Hydrogeometric data for the Bayou Lafourche subsegment were obtained from Mashriqui and Kemp (Bayou Lafourche Freshwater Diversion Wetlands Restoration Project (PBA 20) HEC-RAS and HEC-6 Hydrologic Modeling).

Table 1. Summary of Sample Locations and Information Collected

Station Identification	Sampling Location	Recorded GPS Location	Number of Containers Collected	Sampling and Measurements
Station 0023	LDEQ Routine Monitoring Station 0023 near Donaldsonville	N 30°05'48.9" W 91° 00'21.4"	8	1, 2
Station 0293	LDEQ Routine Monitoring Station 0293 near Thibodaux	N 29°47'56.3" W 90°49'04.0"	4	1, 2
Station 0111	LDEQ Routine Monitoring Station 0111 near Larose	N 29°34'22.1" W 90°23'03.0"	12	1
Company Canal	Company Canal	N 29°38'51.3" W 90°32'23.7"	4	1, 2
Cancienne Canal	Cancienne Canal	N 29°54'01.5" W 90°59'21.7"	4	1

^{1.} Water quality (Total phosphorus, dissolved ortho phosphorus, ammonia, total Kjeldahl nitrogen, nitrate plus nitrite, total suspended solids, carbonaceous biochemical oxygen demand, and chlorophyll a), in situ physiochemical measurements (pH, conductivity, temperature, DO, Secchi depth, chlorides concentration), depth, width, and physical description.

^{2.} Real-time flow rates as recorded by USGS.

B. Quality Assurance/Quality Control (QA/QC)

B.1. Field QA/QC

In situ parameters (DO, pH, conductivity, and temperature) were measured in duplicate using a YSI 650 Multi-meter and a Horiba U-10 Multi-meter. Field chloride concentrations were measured using a Hach Quantab kit. The YSI 650 and Horiba U-10 meters were calibrated at field conditions prior to sampling. Each meter was compared against readings from a National Institute of Standards and Technology (NIST) traceable thermometer. Both meters were found to be within the acceptable performance criteria for temperature that is listed in Table A-4 (Performance Criteria for DQOs for *In situ* Measurements) in the Field Sampling QAPP. (All instruments agree within 0.5 degrees Celsius [°C]).

During the in-field calibration of the Horiba U-10 Multi-meter, DO and pH measurements were erratic resulting in error messages. The instrument operator's manual was consulted, but DO and pH probe calibrations could not be rectified in the field. Temperature and conductivity measurements appeared acceptable. Calibration of the YSI 650 Multi-meter was successful and was determined to be acceptable according to the Field Sampling QAPP. Therefore, the YSI 650 Multi-meter was used as the primary measurement tool for pH, conductivity, DO, and temperature, and the Horiba U-10 Multi-meter was used to take duplicate measurements of conductivity and temperature. Copies of the field log notes and field data sheets used to document the field activities are included in this report as Attachment A.

B.2. Laboratory QA/QC

A summary of laboratory analytical results are included in this report in section C.2 and the complete results are included as Attachment B. Sampling precision and the precision of laboratory analyses were assessed by collecting one set of duplicate samples at the Donaldsonville location (Station 0023). Sampling accuracy and matrix interference was assessed by the contract laboratory using laboratory control spikes and matrix spikes for samples collected at the Larose location (Station 0111). Results of sampling duplicates, laboratory control spikes, and matrix spike duplicates were found to be within the data quality objectives (DQOs) required in the Field Sampling QAPP.

B.3. Field Sampling Summary

Sampling began at the Larose location and proceeded in the upstream direction, ending at the Donaldsonville. A brief description of the sampling station location and weather observations during sampling are provided below for each sampling locations in the sequence that station was sampled. *In situ* measurements are summarized below in Table 2 in section C.1. Analytical results are summarized in Table 4 in section C.2. Detailed results of *in situ* measurements and analytical results are presented

in Attachment B.

B.3.1. LDEQ Routine Monitoring Station 0111 near Larose

The Cadmus team arrived at the site at 9:45 am. The Louisiana Department of Environmental Quality (LDEQ) continuous monitoring location was not accessible due to steady automobile traffic. Due to safety concerns, the location for sampling was established near a retaining wall on the east bank of Bayou Lafourche upstream of Bayou Lafourche's intersection with the Intracoastal Waterway. Sunny conditions were observed during sampling. The water was calm and there was a slight breeze from the east. Infrequent boat traffic caused some wake/wave action at the sample point. There was no observable flow in Bayou Lafourche or the Intracoastal Waterway. Water depth at the sample point was 8.5 feet. Discrete samples were collected from 1 meter below the water surface. Three sets of analytical samples were collected including one analytical set (MS0111), one matrix spike set (MS0111MS), and one matrix spike duplicates set (MS0111MSD).

B.3.2. Company Canal

The Cadmus team field survey crew arrived at Company Canal at approximately 12:00 pm. A sample location was established at a retention wall located on the south bank of Company Canal approximately 200 feet west of where Company Canal intersects Bayou Lafourche. Sunny conditions were observed during sampling and there was a slight breeze. The water depth at the sample location was approximately 8.0 feet. One set of discrete analytical samples (CAN0001) was collected from 1 meter below the water surface.

B.3.3. LDEQ Routine Monitoring Station 0293 near Thibodaux

The Cadmus team field survey crew arrived at the Thibodaux site at approximately 1:38 pm. The monitoring station was accessed from the bridge crossing. Sunny conditions were observed during sampling and there was a slight breeze. The water in the Bayou Lafourche appeared turbid and relatively high in suspended sediment. The measured depth of water at the sample location was 6.5 feet. A discernable flow was observed in the Bayou. One set of discrete analytical samples (MS0293) was collected from 1 meter below the water surface.

B.3.4. Cancienne Canal

The Cadmus team field survey crew arrived at Cancienne Canal at approximately 3:00 pm. A sampling location was established on the downstream side of the LA 1 bridge crossing, which is located on the west bank of Bayou Lafourche. A culvert crossing was observed approximately 100 feet downstream of the sample location. The measured water depth at the sample location was 5.0 feet.

No flow was observed during sampling. Sunny, hot, and calm conditions were observed during sampling. One set of discrete analytical samples (CAN0002) was collected from 1 meter below the water surface.

B.3.5. LDEQ Routine Monitoring Station 0023 near Donaldsonville

The Cadmus team field survey crew arrived at the sample site at approximately 4:00 pm. Due to heavy traffic, the LDEQ continuous monitoring station located on the downstream side of the bridge crossing could not be accessed. Samples were collected instead from the upstream side of the bridge. The measured water depth at the sample location was 3.4 feet. There was a discernable flow in the Bayou. Partly cloudy conditions were observed at the site. Two sets of discrete analytical samples (MS0023A and MS0023B) were collected from mid-depth.

B.4. Sampling Preservation and Handling

All analytical samples were preserved on ice immediately following collection and were transported to Baton Rouge, Louisiana, for shipping the same day. Prior to shipping, chain-of custody forms were completed and shipping containers were sealed. All samples were analyzed within recommended and regulatory maximum holding times as listed in Table 3 provided on the following page.

C. Sampling Results

C.1. Field Sampling Results

The *in situ* measurements including ambient and water temperature, secchi disk depth, pH, DO, and chloride recorded at the five sampling locations are presented in Table 2 below.

Table 2. Summary of *In situ* Measurements for Bayou Lafourche Field Survey

	•			•			•	
Sample Identification	Time	Ambient Temp °C	Water Temp ℃	Secchi Depth inches	pН	Cond. µS/cm	DO mg/L	Chloride ² mg/L
MS 0111	11:20	24.30	27.48	20.4	6.42	435	5.83	69
Company Canal	12:00	23.57	27.12	20.4	7.00	318	6.66	<22
Station 0293	13:38	nr¹	26.46	12.0	7.35	329	6.73	<22
Cancienne Canal	15:00	25.08	25.25	18.0	7.43	356	4.39	<22
Station 0023	16:00	28.61	26.46	8	7.72	340	7.49	<22

^{1.} Measurement not recorded.

^{2.} Data reported as <(less than) because 22 mg/L is below the field tab measurement range.

C.2. Analytical Sampling Results

Table 4 presents a summary of the laboratory analysis for the instream water quality samples collected at the five locations in the Bayou Lafourche. The parameters measure include CBOD, chlorophyll, phosphate, and nitrogen. Table 4 only shows the final values for these parameters.

Table 3. List of Water Quality Sampling Parameters, Methods, and Supporting Information

Parameter	EPA Approved Analytical Method	Preservation	Holding Times Recommended /Regulatory Maximum	Detection Limits (mg/L)	Container	Volume Required (mL)
Total phosphorus	LAC10-115-01- 1D	H ₂ SO ₄ to pH <2 Refrigerate at 4°C	28 days	0.02	High-density polyethylene	100
Dissolved ortho phosphorus	LAC10-115-01- 1A	Filter Refrigerate at 4°C	24 hours/48 hours	0.02	High-density polyethylene	50
Ammonia	GLAC10-107-06- 1J	H₂SO₄ to pH <2, Refrigerate at 4°C	7 days/28 days	0.1	High-density polyethylene	400
Total Kjeldahl Nitrogen (TKN)	PAI DK03	H ₂ SO ₄ to pH <2 Refrigerate at 4°C	7 days/28 days	0.3	High-density polyethylene	500
Nitrate plus Nitrite (as N)	EPA 353.2	H ₂ SO ₄ to pH <2 Refrigerate at 4°C	None/28 days	0.1	High-density polyethylene	100
Total suspended solids (TSS)	USGS I-3765-85	Refrigerate at 4°C	7 days	5	High-density polyethylene	100
Carbonaceous biochemical oxygen	SM 5210B	Refrigerate at 4°C	6 hours/48 hours	2	High-density polyethylene	2,000
Chlorophyll a	SM 10200H2	Refrigerate at 4°C	21 days	0.001	Opaque high-	1,000

The detection limits and the analytical methods used in determining these values are presented in detail in Attachment B.

Table 4. Summary of Instream Water Quality Parameters

	0000		Chlorophyll (μg/L) Phosphate (mg/L) Nitrogen (mg/L)							
Station	CBOD (mg/L)	A	В	С	Pheophytin	Ortho	Total	Nitrite + Nitrate	Ammonia	TKN
MS0023	4.5	5.5	<1	<1	8.5	0.08	0.27	0.8	<0.05	0.5
MS0293	5	5	<1	<1	9	0.1	0.25	0.7	0.09	0.6
MS0111	5	13	<1	<1	10	0.04	0.18	0.3	0.08	0.7
Company Canal	6	22	2	3	2	0.06	0.13	0.3	<0.05	0.48
Cancienne Canal	5	4	<1	<1	3	0.08	0.19	0.7	0.09	0.7



	Meas	suremen	t	Water	Water		Sp.		Sample	No. of	Notes				
Station/ Depth	Date	Time	Who	Depth (ft)	Temp.	DO mg/L	Cond. µ/cm	pH s.u.	S=Sed. W=Wat	Con- tainers	(Attach additional sheet or reference page in field notebook, if necessary)				
Larose/	9-23-03	11:20	JR,	8.5	27.48	5.83	435	6.42	w	12	GPS: N 29° 34' 22.1"; W 90° 23' 3.0"				
1.0 m	;		AS												Weather/Stream conditions: Sunny; slight breeze; very slow flow
											Problems corrective action: Horiba meter (1)				
Company Canal/	9-23-03	12:00	JR,	8.0	27.12	6.66	318	7.00	W	4	GPS: N 29° 38' 51.3"; W 90° 32' 23.7"				
1.0 m			AS								Weather/Stream conditions: Sunny; slight breeze				
											Problems corrective action: Horiba meter ()				
Thibodaux/	9-23-03	13:38	JR,	6.5	26.46	6.73	329	6.73	W	4	GPS: N 29° 47' 56.3"; W 90° 49' 4.0"				
1.0 m			AS			:					Weather/Stream conditions: Sunny; slight breeze; very slow flow				
							ŀ				Problems corrective action: Horiba meter (1)				
Cancienne	9-23-03	15:00	JR,	5.0	25.25	4.39	356	7.43	$\overline{\mathbf{w}}$	4	GPS: N 29° 54' 01.5"; W 90° 59' 21.7"				
Canal/1.0 m			AS								Weather/Stream conditions: Sunny; hot; calm; no flow				
										E	Problems corrective action: Horiba meter (1)				
Donaldsonville/	9-23-03	16:00	JR,	3.4	26.46	7.49	340	7.72	W	8	GPS: N 30° 05' 48.9"; W 90° 00' 21.4"				
Mid-Depth			AS								Weather/Stream conditions: Partly cloudy				
											Problems corrective action: Horiba meter				

(1) Refer to field notebook for explanation.

	9/22/03 TEMP CALIFORATION
Projects (continued)	STANDARD
BATION LAFOURENT DO(NOTRIENTS TIMBL (SUBSEEMENT 020401)	-NIST-TRACEABLE -SM 2198
EPA CONTRACT #68-C-02-108	- INSCRIPTION: ERTCO
	- CALIBRATION VALID - 10/2 105 - CUNITS
	METERTEMP STANDARD DIFF. YSI 650 23,1°C 23.2°C1°C
	HORIBA U +0 25,4°C 25,6°C2°C
	9.23-03 Instrumet Cell bredlor
	4ST GSOMBS HORIBA
	DO. 100.190. Temp 28.65°C. Z4.6°C.
	pH7 +85/1908 6.85
	Peto6:25/27.58 635 204
· ·	Wech 29,54 6.50 89
;	Cond towns(cm 25.32 1000 p20
	1 X J Flarks 2 8.3 defry

ŧ

(doubbe mess Larose Suple Point DIH 7.37 Cond 0.321 ms/cm Teap 27.48 C1
Suple location
Autrech Air 4135 MS/CM DO 3.96 mg/L Stight Breeze 0.21 928 24.30°C Tours 27.7°C Set 0.012 Sunt 1 173.99,00 All Collow of Police Dollars 420am 5.83 mg/ DO Hulo Calibration Mubiel Rudidies 1850 clear Honby U-10 Auto Cel " Solor Stightburge, water for my Breeze fon ezet; Intrequed Boet treffic (son war only) GPS (GAMMIN GPS (13) check 4.4 8 ms /cm Stand of 41.49 mS/en (SO 1.7) 22.11. P/+ 6.93 Steel 400 W 60° 23'03.0" Proto HI Looking was

•

Los Gong IL CI

West for Lorose Suples

Who is the content of the Semple ID's Developes Coul .3/8 us/a MS01114 + MS0111MS EMERIO 7.5625/ Toup 27.3° + msonimsD Sel 0.0' \$ Company Canel (CANDOI).

Ager Blacorese

Anhier fir, 23.572 Sunn Stight Breeze Wing/ Cl very tels 6.0 Hepola 1200 Pm Temp 27.07° 5,27.12 Temp 27.07° Cond 396 ps 10 50=1.71 Waypoint 23 (5) 50 Cond 396 ps 10 39° 38' 51.5" W 90°32' 23 7" · 0.19 Sel pur 0.19 Sunny Slight Breeze - This. · | Arribe 1338

(hilosotos 622 mg/6) Colloctor M50293 235 W 90° 49'04.04 6.5' Depth 50 1.0' Cenciane Cenel MC 6PS N 54'01.5 W 90°59'21.7" 75I Temp 26.460 329 MS/em 0-165d M 04.081.74000 Temp 25.25°C Comed 356 us/kn 6.73.6.6they/c.00 enp 24550800 7.35 PH Surpey DO 4, 42mg/ Moriba Tengo 28.0 Alt 726 Cond 288 a S/an Horbe from Erst Benk Sie do Eccess problers DO 5.65 Tomp PIH 7.38 265 Cond. 7650 Suple collected from Jested durto xiers

Canciane CANOOCE Pouz ldsend/le 1,00 pm WP 237 N 30005148.9" Gray Hot 1/25 for an CA. W 91000 21.4" Observable from Depth 10 2nd wrok Took re-odens zu 1 szaplos on upstreza si 10 due 10 DCCCSS problems - Serpho Potal 26.46°C 340 ms/cm 0.16 91.5% 00 7.3 7.49mg/c pH - 7.72. Tubred few 28.61°C

Chlorides 1 225 mode=czzy Horiboz Rozdi-o
No lothery reprie Low pH7 7.00

Arthy Chroty
List Holisec Conductivity mezsurement
Note: All discrete souples collected

DO 617 mg/g Conductivity mezsurement
Note: All discrete souples collected

Of 17 mg/g Conductivity mezsurement
Note: All discrete souples collected

Of 17 mg/g Conductivity mezsurement
Note: All discrete souples collected

Of 17 mg/g Conductivity mezsurement
Note: All discrete souples collected

Of 17 mg/g Conductivity mezsurement
Note: All discrete souples collected

Of 17 mg/g Conductivity mezsurement
Note: All discrete souples collected

Of 17 mg/g Conductivity mezsurement
Note: All discrete souples

Tago 20,80 C

P/# 7 26

Cond . 20,50

Sent 2 progressof south out of the both of the collected of t DO 100.6 AM Toup 25 13 74,617 Pl 7.00 Toup 22.37 AM Cond 1000 makes 1001 matilla

•

٠.,





October 20, 2003

HYGIENIC LABORATORY

lowa's Environmental and Public Health Laboratory

102 Oakdale Campus, H101 OH lowa City, Iowa 52242-5002 319-335-4500 Fax 319-335-4555 www.uhl.uiowa.edu

Alexander Sheffield, P.E. Principal Engineer ARCADIS G&M, Inc. 2900 West Fork Drive Suite 540 Baton Rouge, Louisiana 70827

Mr. Sheffield:

Please find enclosed the water chemistry data package for the Bayou Lafourche DO/Nutrients TMDL – EPA Contract Number 68-C-02-108, Task Order 0-12. Included in this data package are the "Results of Analyses" for eight samples, a quality control summary for the internal QC performed by the University Hygienic Laboratory, and the original Sample Information/Chain of Custody form and custody seals. Also enclosed is an invoice/billing statement for the services performed for this project. A copy of this invoice/billing statement will be provided to the UHL Accounting section, as well. Please remit the balance of the analytical bill in full to:

Attention: Bayou Lafouche TMDL % Pamela Lenz, Business Manager University Hygienic Laboratory 102 Oakdale Campus, #H101 OH Iowa City, Iowa 52242-5002

If you have any questions regarding the data package provided please contact me. The University Hygienic Laboratory appreciated the opportunity to provide analytical services for ARCADIS on this project. We look forward to doing business with you in the future.

Sincerely,

Michael D. Schueller

Limnologist III, Project Manager

Mailul W Schulle

University Hygienic Laboratory INVOICE

Sample Number	Date Collected	Collection Site	Collector	Test Name	Test Cost	Total Sample Cost				
		SHOOLOG CONCORTOR			Ammonia Nitrogen as N Nitrate + Nitrite as Nitrate N Total Kjeldahl Nitrogen	\$60	•			
200309650	9/23/2003	mso111	SHEFFIELD/RULEY	Orthophosphate as P Total Phosphate as P	\$ 40	\$185				
				CBOD20	\$30					
				Total Suspended Solids	\$15					
				Chlorophyll	\$40					
				Ammonia Nitrogen as N Nitrate + Nitrite as Nitrate N Total Kjeldahl Nitrogen	\$60					
200309651	9/23/2003	9/23/2003 mso111 ms	SHEFFIELD/RULEY	Orthophosphate as P Total Phosphate as P	\$40	\$185				
				CBOD20	\$30					
				Total Suspended Solids	\$15					
				Chlorophyll	\$40					
				Ammonia Nitrogen as N Nitrate + Nitrite as Nitrate N Total Kjeldahl Nitrogen	\$60					
200309652	9/23/2003	mso111 msd	mso111 msd	mso111 msd	mso111 msd	SHEFFIELD/RULEY	SHEFFIELD/RULEY	Orthophosphate as P Total Phosphate as P	\$40	\$185
				CBOD20	\$30					
				Total Suspended Solids	\$15					
				Chlorophyll	\$40					
				Ammonia Nitrogen as N Nitrate + Nitrite as Nitrate N Total Kjeldahl Nitrogen	\$60					
200309653	9/23/2003	can0001	SHEFFIELD/RULEY	Orthophosphate as P Total Phosphate as P	\$40	\$185				
				CBOD20	\$30					
				Total Suspended Solids	\$ 15					
				Chlorophyll	\$40					

University Hygienic Laboratory INVOICE

Sample Number	Date Collected	Collection Site	Collector	Test Name	Test Cost	Total Sample Cost			
				Ammonia Nitrogen as N Nitrate + Nitrite as Nitrate N Total Kjeldahl Nitrogen	\$60	- · · · · · · · · · · · · · · · · · · ·			
200309654	9/23/2003	ms0293	SHEFFIELD/RULEY	Orthophosphate as P Total Phosphate as P	\$40	\$185			
				CBOD20	\$30				
				Total Suspended Solids	\$15				
				Chlorophyll	\$40				
				Ammonia Nitrogen as N Nitrate + Nitrite as Nitrate N Total Kjeldahl Nitrogen	\$60				
200309655	9/23/2003	can0002	SHEFFIELD/RULEY	SHEFFIELD/RULEY	SHEFFIELD/RULEY	Orthophosphate as P Total Phosphate as P	\$40	\$185	
				CBOD20	\$30				
				Total Suspended Solids	\$15				
				Chlorophyll	\$4 0				
				Ammonia Nitrogen as N Nitrate + Nitrite as Nitrate N Total Kjeldahl Nitrogen	\$60				
200309656	9/23/2003	ms0023-a	SHEFFIELD/RULEY	SHEFFIELD/RULEY	SHEFFIELD/RULEY	SHEFFIELD/RULEY	Orthophosphate as P Total Phosphate as P	\$40	\$185
				CBOD20	\$30				
				Total Suspended Solids	\$15				
				Chlorophyll	\$40				
				Ammonia Nitrogen as N Nitrate + Nitrite as Nitrate N Total Kjeldahl Nitrogen	\$60				
200309657	9/23/2003	ms0023-b	SHEFFIELD/RULEY	Orthophosphate as P Total Phosphate as P	\$40	\$185			
				CBOD20	\$30				
				Total Suspended Solids	\$15				
				Chlorophyll	\$40				

Total Bill - Please remit in full.

Due Date: November 30, 2003

\$1,480



The University of Iowa

Date of report: 10-20-2003

11...|||...|..|..|..|.||...|.| ALEX SHEFFIELD **ARCADIS** 2900 WEST FORK DRIVE **SUITE 540 BATON ROUGE LA 70827** Sample Number **Date Received**

09-24-2003 Project TMDL LOUISIANA 09-23-2003 10:15

Date Collected Collection Site Collection Town

> Description water

Reference Collector

BAYOU LAFOURCHE TMDL

200309650

mso111

Phone **Purchase Order**

SHEFFIELD/RULEY

(225) 292-1004

Comments

Upon receipt at the UHL sample meets standard acceptance criteria.

Results of Analyses

Carbonaceous BOD (20day)

Carbonace	us bob (Loudy)	
Analyte	Concentration mg/L	Quantitation Limit
Carbonaceous BOD (20 day)	5	2
Comments 20 day Blank depletion associated with to 2.03 mg/L. Reported results based on a		

corrected for excessive blank depletion. If corrected the 20 day CBOD would be < 4 mg/L

Date Analyzed: 09-25-2003

Method: SM 5210B

Analyst: RS/RWW

Verified: LF

Chlorophyll Determination for Water

Circle physical Control of the Contr								
Analyte		Quantitation Limit						
Chlorophyll A	13	1						
Chlorophyll B	<1	1						
Chlorophyll C	<1	1						
Corrected Chlorophyll A	7	1						
Pheophytin	10	1						
		1						

Date Analyzed: 10-07-2003 Analyst: SMM Method: SM 10200 H 2 Verified: MK

Orthophosphate using Lachet (water)

Of thophosphate	using Lachet (water)	
Analyte	Concentration mg/L	Quantitation Limit
Ortho Phosphate as P	0.04	0.02

Analyst: AB Date Analyzed: 09-25-2003 Verified: TAB Method: LAC10-115-01-1A



Method: USGS I-3765-85

Hygienic Laboratory

The University of Iowa

Page 2 Sample Number 200309650

Total Suspended Solids

Total Suspended Solids		
○ ▮면 어떤 생님은 사람들이 되고 있다. 이 전에 되었다면 살아왔다는 것이 없는 것이 되면 되었다는 것이 되었다. 그는 사람들은 사람들이 되었다는 것이 되었다.	Concentration mg/L	Quantitation Limit
Total Suspended Solids	90	1
Comments Dried at 103 degrees C		
Date Analyzed: 09-26-2003		Analyst: MAG
Method: USGS I-3765-85		Verified: BR

Nitrate + Nitrite as Nitrate N (Water)

111	tate i intilité as intilate in (viace	Millace (Millace as Millace IV (Water)			
Analyte	Concentration mg/L	Quantitation Limit			
Nitrate + Nitrite Nitrogen as N	0.3	0.1			
Date Analyzed: 09-25-2003		Analyst: MAG			
Method: EPA 353.2		Verified: TAB			

Ammonia Lachet

그 [[[경영 영화 등 하는 경우 등 학생들은 사람들은 사람들이 되었다. 하는 하면 하는 학생들은 학생들은 사람들이 되었다.	Concentration	
Analyte	mg/L	Quantitation Limit
Ammonia Nitrogen as N	0.08	0.05
Date Analyzed: 10-02-2003		Analyst: AB
Method: LAC10-107-06-1J		Verified: BR

TKN using Lachet (water)

Analyte	Concentration mg/L	Quantitation Limit
TKN	0.70	0.05
Date Analyzed: 10-08-2003		Analyst: AB
Method: PAI DK03		Verified: LF

Total P (water) using Lachet

	· · · · · · · · · · · · · · · · · · ·	
Analyte	Concentration mg/L	Quantitation Limit
Total Phosphate as P	0.18	0.05
Date Analyzed: 10-07-2003		Analyst: AB
Method: LAC10 115 01.1C		Verified: TAR

Description of units used within this report

mg/L - Milligrams per Liter

ug/L - Micrograms per Liter

Quant Limit - Lowest concentration reliably measured

Iowa Laboratory Certification No. 027. AIHA, NELAP, NVLAP, USEPA, and other credentials available upon request.

If you have any questions please call Sherri Marine at 800/421-IOWA (4692) or 319/335-4500. Thank you.

End of Report



The University of Iowa

Date of report: 10-20-2003

II...III...I..II..II..II..I ALEX SHEFFIELD ARCADIS 2900 WEST FORK DRIVE SUITE 540 BATON ROUGE LA 70827 Sample Number Date Received

Project
Date Collected
Collection Site

Collection Town
Description

Reference Collector

Phone Purchase Order 200309651

09-24-2003 TMDL LOUISIANA

09-23-2003 10:15

mso111 ms

n water

BAYOU LAFOURCHE TMDL

SHEFFIELD/RULEY

(225) 292-1004

Comments

Upon receipt at the UHL sample meets standard acceptance criteria.

Results of Analyses

Carbonaceous BOD (20day)

Carbonatous Dos (2022)		
	Concentration	
Analyte	mg/L	Quantitation Limit
Carbonaceous BOD (20 day)	5	2
Comments 20 day Blank depletion associated with the	nis sample averaged	

 $2.03\ mg/L$. Reported results based on a 150 ml dilution are not corrected for excessive blank depletion. If corrected the

20 day CBOD would be < 4 mg/L

Date Analyzed: 09-25-2003

Method: SM 5210B

Analyst: RS/RWW

Verified: LF

Chlorophyll Determination for Water

Analyte	Concentration	Quantitation Limit
		Quantitation Limit
Chlorophyll A	10	1
Chlorophyll B	<1	1
Chlorophyll C	<1	1
Corrected Chlorophyll A	3	1
Pheophytin	10	1

Date Analyzed: 10-07-2003 Analyst: SMM Method: SM 10200 H 2 Verified: MK

Orthophosphate using Lachet (water)

Of the photo thing Dates (Nation)		
Analyte	Concentration mg/L	Quantitation Limit
Ortho Phosphate as P	0.59	0.02
	T 100 00	1 1 1 1

Comments A spike of 0.50mg/l was added to sample. Recovery was 108.8%. 09/25/03 AB

Date Analyzed: 09-25-2003 Method: LAC10-115-01-1A Analyst: AB Verified: TAB



The University of Iowa

Page 2 Sample Number 200309651

Total Suspended Solids

Total Suspended Sonds			
Analyte	Concentration mg/L	Quantitation Limit	
Total Suspended Solids	120	1	
Comments Dried at 103 degrees C			
Date Analyzed: 09-26-2003		Analyst: MAG	
Method: USGS I-3765-85		Verified: BR	

Nitrate + Nitrite as Nitrate N (Water)

Miliate + Miliate as Miliate M (Water)			
Analyte	Concentration mg/L	Quantitation Limit	
Nitrate + Nitrite Nitrogen as N	2.72	0.1	
Comments 100 microl itres of 100 mg/L NOx stock	standard into		

4 mL of sample for a spike level of 2.68 mg/L

Analyst: MAG Date Analyzed: 09-25-2003 Verified: TAB Method: EPA 353.2

Ammonia Lachet

Analyte	Concentration mg/L	Quantitation Limit	
Ammonia Nitrogen as N	0.07	0.05	
Date Analyzed: 10-02-2003		Analyst: AB	
Method: LAC10-107-06-1J		Verified: BR	

TKN using Lachet (water)

	,	
Analyte	Concentration mg/L	Ouantitation Limit
TKN	1.1	0.05
Comments An increase of 0.50mg/l was added to sample. 87.6% 10/08/03ab		
D . A 1 1 10 00 0000		A = 1 = A TD

Date Analyzed: 10-08-2003 Analyst: AB Verified: TAB Method: PAI DK03

Total P (water) using Lachet

Analyte	Concentration mg/L	Quantitation Limit
Total Phosphate as P	0.65	0.05
Comments A spike increase of 0.50 mg/l was added	to sample. 93.4% 100703ab	

Analyst: AB Date Analyzed: 10-07-2003 Method: LAC10-115-01-1C Verified: TAB

Description of units used within this report

ug/L - Micrograms per Liter mg/L - Milligrams per Liter

Quant Limit - Lowest concentration reliably measured



The University of Iowa

Page 3 Sample Number 200309651

Iowa Laboratory Certification No. 027. AIHA, NELAP, NVLAP, USEPA, and other credentials available upon request.

If you have any questions please call Sherri Marine at 800/421-IOWA (4692) or 319/335-4500. Thank you.

End of Report



The University of Iowa

Date of report: 10-20-2003

ALEX SHEFFIELD ARCADIS

2900 WEST FORK DRIVE

SUITE 540

BATON ROUGE LA 70827

Sample Number

Date Received 09-24-2003

Project TMDL LOUISIANA Date Collected 09-23-2003 10:15

Collection Site mso111 msd

Collection Town Description

Reference

water **BAYOU LAFOURCHE TMDL**

Collector

SHEFFIELD/RULEY

200309652

Phone

Purchase Order

(225) 292-1004

Comments

Upon receipt at the UHL sample meets standard acceptance criteria.

Results of Analyses

Carbonaceous BOD (20day)

Cui Somutton	~ 2 c 2 (2 c c c c c c c c c c c c c c c	
Analyte	Concentration mg/L	Quantitation Limit
Carbonaceous BOD (20 day)	5	2
Comments 20 day Blank depletion associated with thi	s sample averaged	
2.03 mg/I Reported results based on a l	50 ml dilution are not	

2.03 mg/L. Reported results based on a 150 ml dilution are not corrected for excessive blank depletion. If corrected the

20 day CBOD would be < 4 mg/L

Date Analyzed: 09-25-2003

Method: SM 5210B

Analyst: RS/RWW

Verified: LF

Chlorophyll Determination for Water

Analyte	Concentration	Quantitation Limit
Chlorophyll A	14	1
Chlorophyll B	<1	1
Chlorophyll C	<1	1
Corrected Chlorophyll A	<1	1
Pheophytin	26	1

Date Analyzed: 10-07-2003 Analyst: SMM Method: SM 10200 H 2 Verified: MK

Orthophosphate using Lachet (water)

	Concentration	
Analyte	mg/L	Quantitation Limit
Ortho Phosphate as P	0.57	0.02
Comments A spike 0 50mg/l was added to sample	Recovery was 105 8%	

2.58% RPD. 09/25/03 AB

Date Analyzed: 09-25-2003 Method: LAC10-115-01-1A Analyst: AB Verified: TAB



The University of Iowa

Page 2 Sample Number 200309652

Total Suspended Solids

i otai sus	penueu Sonus	
。 M 1500 4 5 5 5 5 5 6 5 7 6 6 7 7 6 6 7 8 6 6 6 6 6 6 6 6 6 6 7 7 7 7	Concentration mg/L	Quantitation Limit
Total Suspended Solids	63	1
Comments Dried at 103 degrees C		
Date Analyzed: 09-26-2003		Analyst: MAG
Method: USGS I-3765-85		Verified: BR

Nitrate + Nitrite as Nitrate N (Water)

1 1101 600 (1 1201	100 45 1 1101 410 1 1 (4102)	
Analyte	Concentration mg/L	Quantitation Limit
Nitrate + Nitrite Nitrogen as N	2.83	0.1
Commonts 100 microlitres of 100 mg/L NOv stoc	k standard into	

Comments 100 microLitres of 100 mg/L NOx stock standard into 4 mL of sample for a spike level of 2.68 mg/L

Date Analyzed: 09-25-2003 Analyst: MAG Method: EPA 353.2 Verified: TAB

Ammonia Lachet

Analyte	Concentration mg/L	Quantitation Limit
Ammonia Nitrogen as N	0.07	0.05
Date Analyzed: 10-02-2003		Analyst: AB
Method: LAC10-107-06-1J		Verified: BR

TKN using Lachet (water)

		oncentration	
		ıg/L	Quantitation Limit
TKN	1	1.2	0.05
Comments An increa.	se of 0.50mg/l was added to samp	le. 101.8% 6.02%rpd	
10/08/03a	ıb		

Date Analyzed: 10-08-2003 Analyst: AB
Method: PAI DK03 Verified: TAB

Total P (water) using Lachet

Analyte	Concentration mg/L	Quantitation Limit
Total Phosphate as P	0.64	0.05
Comments A spike increase of 0.50mg/l was added to sample. 91.6% 100703ab		
Date Analyzed: 10-07-2003		Analyst: AB
Method: LAC10-115-01-1C		Verified: TAB



The University of Iowa

Page 3 Sample Number 200309652

Description of units used within this report

mg/L - Milligrams per Liter

ug/L - Micrograms per Liter

Quant Limit - Lowest concentration reliably measured

Iowa Laboratory Certification No. 027. AIHA, NELAP, NVLAP, USEPA, and other credentials available upon request.

If you have any questions please call Sherri Marine at 800/421-IOWA (4692) or 319/335-4500. Thank you.

End of Report



The University of Iowa

Date of report: 10-20-2003

11...111...1..1...1.11...1.11...1 **ALEX SHEFFIELD** ARCADIS 2900 WEST FORK DRIVE **SUITE 540 BATON ROUGE LA 70827** Sample Number Date Received Project

200309653 09-24-2003

TMDL LOUISIANA 09-23-2003 12:00

Date Collected Collection Site

can0001

Collection Town Description

water

Reference Collector **BAYOU LAFOURCHE TMDL** SHEFFIELD/RULEY

(225) 292-1004 Phone

Purchase Order

Comments

Upon receipt at the UHL sample meets standard acceptance criteria.

Results of Analyses

Carbonaceous BOD (20day)

Analyte	Concentration mg/L	Quantitation Limit
Carbonaceous BOD (20 day)	6	2
Comments 20 day Blank depletion associated with the	is sample averaged	

2.03 mg/L. Reported results based on a 150 ml dilution are not corrected for excessive blank depletion. If corrected the

20 day CBOD would be < 4 mg/L

Date Analyzed: 09-25-2003

Method: SM 5210B

Analyst: RS/RWW

Verified: LF

Chlorophyll Determination for Water

Cindiophyn Determination for water		
Analyte Chlorophyll A	Concentration ug/L	Quantitation Limit
Chlorophyll A	22	1
Chlorophyll B	2	1
Chlorophyll C	3	1
Corrected Chlorophyll A	20	1
Pheophytin	2	1

Date Analyzed: 10-07-2003 Analyst: SMM Verified: MK Method: SM 10200 H 2

Orthophosphate using Lachet (water)

Ormopi	iosphate using Lachet (water)	
	Concentration	
Analyte	mg/L	Quantitation Limit
Ortho Phosphate as P	0.06	0.02
Date Analyzed: 09-25-2003		Analyst: AB
Method: LAC10-115-01-1A		Verified: TAB

Continued on next page...

Method: LAC10-115-01-1A



The University of Iowa

Page 2 Sample Number 200309653

Total Suspended Solids

Total Suspended Solids		
Analyte	Concentration mg/L	Quantitation Limit
Total Suspended Solids	16	1
Comments Dried at 103 degrees C		
Date Analyzed: 09-26-2003		Analyst: MAG
Method: USGS I-3765-85		Verified: BR

Nitrate + Nitrite as Nitrate N (Water)

11101100 000 1 11101100 000 1 11101100 110		
Analyte	Concentration mg/L	Quantitation Limit
Nitrate + Nitrite Nitrogen as N	0.3	0.1
Date Analyzed: 09-25-2003		Analyst: MAG

Method: EPA 353.2

Analyst: MAG

Verified: TAB

Ammonia Lachet

	Concentration	
	mg/L	Quantitation Limit
Ammonia Nitrogen as N	< 0.05	0.05
Date Analyzed: 10-02-2003		Analyst: AB
Method: LAC10-107-06-1J		Verified: BR

TKN using Lachet (water)

Analyte	Concentration mg/L	
TKN	0.48	0.05
Date Analyzed: 10-14-2003		Analyst: AB
Method: PAI DK03		Verified: LF

Total Phosphorous in 0.02 to 0.50 range

Total I nosphorous in 0.02 to 0.50 range		
Analyte	Concentration	Quantitation Limit
Total Phosphate as P	0.13	0.02
Date Analyzed: 10-14-2003		Analyst: AB
Method: LAC10-115-01-1D		Verified: LF

Description of units used within this report

mg/L - Milligrams per Liter

ug/L - Micrograms per Liter

Quant Limit - Lowest concentration reliably measured

Iowa Laboratory Certification No. 027. AIHA, NELAP, NVLAP, USEPA, and other credentials available upon request.

If you have any questions please call Sherri Marine at 800/421-IOWA (4692) or 319/335-4500. Thank you.

End of Report



The University of Iowa

Date of report: 10-20-2003

11...111...1...1...1.11...1.11...1 **ALEX SHEFFIELD** ARCADIS 2900 WEST FORK DRIVE **SUITE 540 BATON ROUGE LA 70827**

200309654 Sample Number **Date Received**

09-24-2003

Project TMDL LOUISIANA **Date Collected** 09-23-2003 13:45 ms0293

Collection Site Collection Town

Description water

BAYOU LAFOURCHE TMDL Reference

Collector SHEFFIELD/RULEY (225) 292-1004 **Phone**

Purchase Order

Comments

Upon receipt at the UHL sample meets standard acceptance criteria.

Results of Analyses

Carbonaceous BOD (20dav)

Cui bonuccous BOD (20du))			
	Concentration		
Analyte	mg/L	Quantitation Limit	
Carbonaceous BOD (20 day)	5	2	
Comments 20 day Blank depletion associated with	this sample averaged		
2.02 mg/I Panartad regults based on a	150 ml dilution are not		

2.03 mg/L. Reported results based on a 150 ml dilution are not corrected for excessive blank depletion. If corrected the

20 day CBOD would be < 4 mg/L

Date Analyzed: 09-25-2003

Method: SM 5210B

Analyst: RS/RWW

Verified: LF

Chlorophyll Determination for Water

	Concentration ug/L	Quantitation Limit
Chlorophyll A	5	1
Chlorophyll B	<1	1
Chlorophyll C	<1	1
Corrected Chlorophyll A	<1	1
Pheophytin	9	1
T 1 10 0 T 0000		A 1 OX (X (

Analyst: SMM Date Analyzed: 10-07-2003 Verified: MK Method: SM 10200 H 2

Orthophogophoto using I ashot (water)

Of thophosphate using Lacher (water)		
Analyte	Concentration mg/L	Quantitation Limit
Ortho Phosphate as P	0.10	0.02

Date Analyzed: 09-25-2003 Analyst: AB Verified: TAB Method: LAC10-115-01-1A



The University of Iowa

Page 2 Sample Number 200309654

Total Suspended Solids

Total Suspended Solids		
- 15 하시겠었다. 2 2.2.2.1 17 기준으로 하시되는 회사의 회사의 회사를 가는 시간에 되었다. 지수는 지수는 지수는 이 지수는 것이다. 그는 그는 그는 그 가게 되었다.	Concentration mg/L	Quantitation Limit
Total Suspended Solids	52	1
Comments Dried at 103 degrees C		
Date Analyzed: 09-26-2003		Analyst: MAG
Method: USGS I-3765-85		Verified: BR

Nitrate + Nitrite as Nitrate N (Water)

1 1161 666	1 11101100 005 11101000 11 (11000)	
Analyte	Concentration mg/L	Ouantitation Limit
Nitrate + Nitrite Nitrogen as N	0.7	0.1
Date Analyzed: 09-25-2003		Analyst: MAG
Method: EPA 353.2		Verified: TAB

Ammonia Lachet

Analyte	Concentration mg/L	Quantitation Limit
Ammonia Nitrogen as N	0.09	0.05
Date Analyzed: 10-02-2003		Analyst: AB
Method: LAC10-107-06-1J		Verified: BR

TKN using Lachet (water)

Analyte	Concentration mg/L	Quantitation Limit
TKN	0.60	0.05
Date Analyzed: 10-08-2003	•	Analyst: AB
Method: PAI DK03		Verified: TAB

Total Phosphorous in 0.02 to 0.50 range

10th 1 hospitorous in 0.02 to 0.00 tange			
Analyte		Quantitation Limit	
Total Phosphate as P	0.25	0.02	
Date Analyzed: 10-06-2003		Analyst: AB	
Method: LAC10-115-01-1D		Verified: LF	

Description of units used within this report

mg/L - Milligrams per Liter

ug/L - Micrograms per Liter

Quant Limit - Lowest concentration reliably measured

Iowa Laboratory Certification No. 027. AIHA, NELAP, NVLAP, USEPA, and other credentials available upon request.

If you have any questions please call Sherri Marine at 800/421-IOWA (4692) or 319/335-4500. Thank you.

End of Report



The University of Iowa

Date of report: 10-20-2003

ALEX SHEFFIELD ARCADIS 2900 WEST FORK DRIVE **SUITE 540 BATON ROUGE LA 70827**

200309655 Sample Number Date Received

09-24-2003

Project **Date Collected Collection Site**

TMDL LOUISIANA 09-23-2003 15:00

can0002

Collection Town Description

water

Reference Collector

BAYOU LAFOURCHE TMDL SHEFFIELD/RULEY

Phone

(225) 292-1004

Purchase Order

Comments

Upon receipt at the UHL sample meets standard acceptance criteria.

Results of Analyses

Carbonaceous BOD (20dav)

	()/	
Analyte	Concentration mg/L	Quantitation Limit
Carbonaceous BOD (20 day)	5	2
Comments 20 day Blank depletion associated with the	nis sample averaged	
2.02 mg/I Panorted results based on a	150 ml dilution are not	

2.03 mg/L. Reported results based on a 150 ml dilution are not corrected for excessive blank depletion. If corrected the

20 day CBOD would be < 4 mg/L

Date Analyzed: 09-25-2003

Method: SM 5210B

Analyst: RS/RWW

Verified: LF

Chlorophyll Determination for Water

Chlorophyn Determination for water		
Analyte	Concentration ug/L	Quantitation Limit
Chlorophyll A	4	1
Chlorophyll B	<1	1
Chlorophyll C	<1	1
Corrected Chlorophyll A	2	1
Pheophytin	3	1

Analyst: SMM Date Analyzed: 10-07-2003 Verified: MK Method: SM 10200 H 2

Orthophosphate using Lachet (water)

Orthophosphate using Lucher (water)			
Analyte	Concentration mg/L	Quantitation Limit	
Ortho Phosphate as P	0.08	0.02	
D . A 1 1 00 07 0000		A1 A D	

Analyst: AB Date Analyzed: 09-25-2003 Verified: TAB Method: LAC10-115-01-1A



Method: EPA 353.2

Hygienic Laboratory

The University of Iowa

Page 2 Sample Number 200309655

Verified: TAB

Total Suspended Solids

1 Otal Suspended Solids			
	Concentration	하는 소리를 보는 것이 되었다. 그 사람들은 그 사람들이 함께 하는 것이 되었다. 사용하는 것이 되었다. 그 사용하는 사용하는 것이 없는 것이 없는 것이 되었다.	
Analyte	mg/L	Quantitation Limit	
Total Suspended Solids	100	1	
Comments Dried at 103 degrees C			
Date Analyzed: 09-26-2003		Analyst: MAG	
Method: USGS I-3765-85		Verified: BR	

Nitrate + Nitrite as Nitrate N (Water)

Tittate 1 Tittate 14 (Viater)			
Analyte	Concentration mg/L	Quantitation Limit	
Nitrate + Nitrite Nitrogen as N	0.7	0.1	
Date Analyzed: 09-25-2003		Analyst: MAG	

Ammonia Lachet

(IIIIII) Duchet			
Analyte	Concentration mg/L	Quantitation Limit	
Ammonia Nitrogen as N	0.09	0.05	
Date Analyzed: 10-02-2003		Analyst: AB	
Method: LAC10-107-06-1J		Verified: BR	

TKN using Lachet (water)

	Concentration	
	mg/L	Quantitation Limit
TKN	0.70	0.05
Date Analyzed: 10-08-2003		Analyst: AB
Method: PAI DK03		Verified: TAB

Total Phosphorous in 0.02 to 0.50 range

10th 1 hopping on in 0.02 to 0.00 lange			
	Concentration		
Analyte	mg/L	Quantitation Limit	
Total Phosphate as P	0.19	0.02	
Date Analyzed: 10-06-2003		Analyst: AB	
Method: LAC10-115-01-1D		Verified: LF	

Description of units used within this report

mg/L - Milligrams per Liter

ug/L - Micrograms per Liter

Quant Limit - Lowest concentration reliably measured

Iowa Laboratory Certification No. 027. AIHA, NELAP, NVLAP, USEPA, and other credentials available upon request.

If you have any questions please call Sherri Marine at 800/421-IOWA (4692) or 319/335-4500. Thank you.

End of Report



The University of Iowa

Date of report: 10-20-2003

11...[[[...[..]...[...[...[...]... **ALEX SHEFFIELD ARCADIS** 2900 WEST FORK DRIVE **SUITE 540 BATON ROUGE LA 70827** Sample Number 200309656 09-24-2003 **Date Received**

TMDL LOUISIANA Project Date Collected 09-23-2003 16:00 **Collection Site** ms0023-a

Collection Town Description

water

BAYOU LAFOURCHE TMDL Reference SHEFFIELD/RULEY Collector Phone (225) 292-1004

Purchase Order

Comments

Upon receipt at the UHL sample meets standard acceptance criteria.

Results of Analyses

Carbonaceous BOD (20day)

Cui bonucco	as bed (beauty)	
Analyte	Concentration mg/L	Quantitation Limit
Carbonaceous BOD (20 day)	4	2
Comments 20 day Blank depletion associated with this sample averaged		
2.03 mg/L. Reported results based on a	150 ml dilution are not	

corrected for excessive blank depletion. If corrected the 20 day CBOD would be < 4 mg/L

Date Analyzed: 09-25-2003

Method: SM 5210B

Analyst: RS/RWW

Verified: LF

Chlorophyll Determination for Water

Chrotophyn Determination for water		
Analyte	Concentration ug/L	Quantitation Limit
Chlorophyll A	4	1
Chlorophyll B	<1	1
Chlorophyll C	<1	1
Corrected Chlorophyll A	<1	1
Pheophytin	7	1

Analyst: SMM Date Analyzed: 10-07-2003 Method: SM 10200 H 2 Verified: MK

Orthophosphate using Lachet (water)

Orthophosphate using Dachet (water)			
Analyte		Concentration mg/L	Quantitation Limit
Ortho Phosphate as P		0.08	0.02

Date Analyzed: 09-25-2003 Analyst: AB Method: LAC10-115-01-1A Verified: TAB

Continued on next page...



The University of Iowa

Page 2 Sample Number 200309656

Total Suspended Solids

Total Suspended Solids		
· [1812: 1845 - 1845] 2 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :	Concentration mg/L	Quantitation Limit
Total Suspended Solids	72	1
Comments Dried at 103 degrees C		
Date Analyzed: 09-26-2003		Analyst: MAG
Method: USGS I-3765-85		Verified: BR

Nitrate + Nitrite as Nitrate N (Water)

Mulate Mill	c as minate in (mater)	
	Concentration	
Analyte	mg/L	Quantitation Limit
Nitrate + Nitrite Nitrogen as N	0.8	0.1
Date Analyzed: 09-25-2003		Analyst: MAG
Method: EPA 353.2		Verified: TAB

Ammonia Lachet

Analyte	Concentration	Quantitation Limit	
Ammonia Nitrogen as N	< 0.05	0.05	
Date Analyzed: 10-02-2003		Analyst: AB	
Method: LAC10-107-06-1J		Verified: BR	

TKN using Lachet (water)

	Concentration	
Analyte		Quantitation Limit
TKN	0.52	0.05
Date Analyzed: 10-08-2003		Analyst: AB
Method: PAI DK03		Verified: TAB

Total Phosphorous in 0.02 to 0.50 range

Total I hospitol oa	m oroz to oreo runge	
Analyte	Concentration	
Analyte	mg/L	Quantitation Limit
Total Phosphate as P	0.26	0.02
Date Analyzed: 10-06-2003		Analyst: AB
Method: LAC10-115-01-1D		Verified: LF

Description of units used within this report

mg/L - Milligrams per Liter

ug/L - Micrograms per Liter

Quant Limit - Lowest concentration reliably measured

Iowa Laboratory Certification No. 027. AIHA, NELAP, NVLAP, USEPA, and other credentials available upon request.

If you have any questions please call Sherri Marine at 800/421-IOWA (4692) or 319/335-4500. Thank you.

End of Report

H.A. Wallace Building East Grand, Des Moines, Iowa 50319-0034 515/281-5371 Fax: 515/243-1349



The University of Iowa

Date of report: 10-20-2003

11...111...1..1...1.11...1.11...1 **ALEX SHEFFIELD** ARCADIS

2900 WEST FORK DRIVE

SUITE 540

BATON ROUGE LA 70827

Sample Number Date Received

200309657 09-24-2003

TMDL LOUISIANA

Project Date Collected 09-23-2003 16:00 **Collection Site** ms0023-b

Collection Town

Description water

Reference Collector

BAYOU LAFOURCHE TMDL SHEFFIELD/RULEY

(225) 292-1004 **Phone**

Purchase Order

Comments

Upon receipt at the UHL sample meets standard acceptance criteria.

Results of Analyses

Carbonaceous BOD (20day)

	Concentration	
Analyte	mg/L	Quantitation Limit
Carbonaceous BOD (20 day)	5	2
Comments 20 day Blank depletion associated with th	is sample averaged	
2.03 mg/L. Reported results based on a	150 ml dilution are not	

corrected for excessive blank depletion. If corrected the 20 day CBOD would be < 4 mg/L

Date Analyzed: 09-25-2003

Method: SM 5210B

Analyst: RS/RWW

Verified: LF

Verified: TAB

Chlorophyll Determination for Water

Chrorophyn Determination for Water		
Analyte	Concentration ug/L	Quantitation Limit
Chlorophyll A	7	1
Chlorophyll B	<1	1
Chlorophyll C	<1	1
Corrected Chlorophyll A	<1	1
Pheophytin	10	1

Date Analyzed: 10-07-2003 Analyst: SMM Verified: MK Method: SM 10200 H 2

Orthophosphate using Lachet (water)

01410F1100F11111		
Analyte	Concentration mg/L	Quantitation Limit
Ortho Phosphate as P	0.08	0.02
Date Analyzed: 09-25-2003		Analyst: AB

Continued on next page...

Method: LAC10-115-01-1A



Method: USGS I-3765-85

Hygienic Laboratory

The University of Iowa

Page 2 Sample Number 200309657

Total Suspended Solids

Total Sus	penaca Bonas	
Analyte	Concentration mg/L	Quantitation Limit
Total Suspended Solids	75	1
Comments Dried at 103 degrees C		
Date Analyzed: 09-26-2003		Analyst: MAG
Method: USGS I-3765-85		Verified: BR

Nitrate + Nitrite as Nitrate N (Water)

	Titel dec : Titel lee de Titel dec Ti (ii deci)		
		Quantitation Limit	
Nitrate + Nitrite Nitrogen as N	0.8	0.1	
Data Applyzad: 00 25 2003		Analyst MAG	

Date Analyzed: 09-25-2003 Analyst: MAG Verified: TAB Method: EPA 353.2

Ammonia Lachet

Analyte	Concentration mg/L	Quantitation Limit
Ammonia Nitrogen as N	<0.05	0.05
Date Analyzed: 10-02-2003		Analyst: AB
Method: LAC10-107-06-1J		Verified: BR

TKN using Lachet (water)

	Zuezzez (u.ez)	
Analyte	Concentration mg/L	Quantitation Limit
TKN	0.49	0.05
Date Analyzed: 10-08-2003		Analyst: AB
Method: PAI DK03		Verified: TAB

Total Phosphorous in 0.02 to 0.50 range

Analyte	t in the profit title of the contract of the	Quantitation Limit
Total Phosphate as P	0.28	0.02
Date Analyzed: 10-06-2003		Analyst: AB
Method: I AC10-115-01-1D		Verified: LF

Description of units used within this report

mg/L - Milligrams per Liter

ug/L - Micrograms per Liter

Quant Limit - Lowest concentration reliably measured

Iowa Laboratory Certification No. 027. AIHA, NELAP, NVLAP, USEPA, and other credentials available upon request.

If you have any questions please call Sherri Marine at 800/421-IOWA (4692) or 319/335-4500. Thank you.

End of Report

QC Summary for Samples collected at Bayou Lafourche

CBOD20

	Volume (ml)	Initial DO (mg/L)	Final DO (mg/L)	Depletion (mg/L)	BOD/CBOD (mg/L)	
Blank	300	8.31	6.12	2.19	2.19	
Blank	300	8.35	6.48	1.87	1.87	
Inhibited Blank	300	8.38	6.12	2.26	2.26	
Inhibited Blank	300	8.41	6.62	1.79	1.79	
Duplicate Results						
Sample # 200309650	150	8.16	5.63	2.53	5.06	Sample/Duplicate RPD = 2.73%
Duplicate	150	8.24	5.64	2.60	5.20	Campio/Bapiloate N. B. 2.1070

Total Suspended Solids

	Volume (mi)	Dish Weight Empty (g)	Dish Weight After Drying (g)	Weight Change (mg)	Calculated Solids (mg)	Reported Solids (mg)	
TSS Blank	1000	1.0679	1.0680	0.00	0.00		
TSS Reference Standard	1000	1.0693	1.0857	16.40	16.40		TSS Reference Standard = 16.8 mg/L. Percent Recovery = 97.62%
Duplicate Results							
Sample # 200309650	200	1.0670	1.0849	17.90	89.50	90	Sample/Duplicate RPD = 1.1%
Duplicate	200	1.0757	1.0934	17.70	88.50	89	Sample/Duplicate NFD = 1.176

QC Summary for Samples collected at Bayou Lafourche

Nitrite + Nitrate as N

	Conc. (mg/L)	Percent Recovery	
1.0 mg/L NO3-N Standard	1.0	98.0	
1.0 mg/L NO2-N Standard	1.0	96.0	
Spike Blank	3.3	95.0	
Refence Standard	8.4	100.0	
Duplicate Results			
Sample # 200309650	0.29	Γ	Sample/Duplicate RPD = 7.1%
Duplicate	0.27		Sample/Duplicate RPD - 7.1%

Ammonia Nitrogen as N

	Conc. (mg/L)	Percent Recovery	
Reference Standard	1.1	94.2	
Blank Spike	1.0	95.5	
In-house Duplicate results			
Sample	7.933		Sample/Duplicate RPD = 1.31%
Sample Duplicate	8.038		Sample/Duplicate RFD = 1.31%

Total Kjeldahl Nitrogen

	Conc. (mg/L)	Percent Recovery
Reference Standard	0.540	102.2
Spike Blank	0.500	100.6

QC Summary for Samples collected at Bayou Lafourche

Orthophosphate as P

	Conc. (mg/L)	Percent Recovery
Reference Standard	0.283	94.6
Spike Blank	0.476	95.2

Total Phosphate as P

	Conc. (mg/L)	Percent Recovery	
Spike Blank	0.525	105	
In-house Duplicate results			
Sample	0.052		
Sample Duplicate	0.042		Sample/Duplicate Absolute Difference = 0.01 mg/L. Within acceptable limits.
Sample Spike	0.586	106.4	

Chlorophyll

	Accept. Range	Conc. (mg/L)			
Ref. Std. Low Chl. A	0.965-1.059	1.024			
Ref. Std. High Chl. A	4.692-5.019	4.812			
_	Chl. A	Chl. B	Chl. C	Corr. Chl. A	Pheophytin
Reagent Blank	<1 mg/L	<1 mg/L	<1 mg/L	<1 mg/L	<1 mg/L
Sample Blank	<1 mg/L	<1 mg/L	<1 mg/L	<1 mg/L	<1 mg/L
Sample Blank	<1 mg/L	<1 mg/L	<1 mg/L	<1 mg/L	<1 mg/L

Sample blanks are analyzed after every 10 samples during chlorophyll analysis. The detection limit for chlorophyll analysis is 1.0 mg/L.



The University of lows		Th	e l	Ini	iversity	of.	lou	a								Purchase Order#		
EST. 1904		CHA	JIN	V-(OF-C	UST	ΓΟ	D'	Y									
Contact Name		Phone		1,44				-190- A	Ana	llysis I	teque	stei	ri i			Project Name and/or Number		
Alex Sheffield	(25) 292-1004						2	2	ي						Bayon Lafourche TMDL			
Company		Fax						-Vitate	8	\$						Collector's Phone #		
ALCADIS (Cadmus Group Team)		(225) 292-5210						te-p	Acid Meserre	yds						(225) 292-1004		
Address	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1						الا	inte	1/2) y						Print Collector's Name		
2900 West Fork Drive Guite 540						135	_	3	22	Pth.				ŀ		Alex Sheffield Tennifer Rules		
City		State	Zip)		1 >	- 3	Ě	talfut	1						Collector's Signature		
City Buton Rouge		LA	7	10827		CBODs	Chlorophy	E##/	chirt fa	Dissolved Wthophospharus						Jennifer Ruley Collector's Signature Unp Sheffuld		
					e Matrix] ප	5	4	3	1 %								
Sample ID/Description	Date -	Time	W	S	Other			1-	-	~	_	•	_	 		Comments/GHI Sample Number		
1. MS0023-A	9/23/2003	4:008	X	_		l		1			0	30	9	65	6	UHL ID'S: 1-259 (CAOD20/TSS), 1-230 (Chlored) 2-14 (Nutrient) 9-398 (Dies. Orthophes UHL ID's: 1-256 (CBOD20/TSS), 1-238 (CALON		
2. M50023-B	9/23/2003	4:00P	x			1	1	1		1	0	$\beta 0$	9	65	7	UHL ID's: 1-256 (CBODsoftss), 1-238 (CALON 2-484 (Nutrients), 9-366 (Diss. Othop)		
3.																,		
4.						:												
5.																		
6.																		
7.					_		_											
8.																		
Relinquished by		Date	14.00			Tim	9	28 12 12 12	Co	mmen	.							
	The Mittill	9.	2	3-6	03	6	:34	5PW	1									
Religious Red by		Date				Time)	e e	Co	mmeni	S							
Sample receiving custodian					er i Series de la Companya de la Co La Companya de la Companya de	Time												
Marcia Dansi	97	9-2	4-	Q 3	?		8:4	ک	11	4/ Eur	LI	1.	-#/,	1-10	2./-	#9 each DML /C		
	dale Campus, #H101 OF]	H.A. V	Vallac	e Buil	ding		,	•			Yellow - UHL Copy		

102 Oakdale Campus, #H101 OH Iowa City, Iowa 52242-5002 319/335-4500 Fax: 319-335-4555 H.A. Wallace Building 900 E. Grand Ave., Des Moines, Iowa 50319-0034 515/281-5371 Fax: 515/243-1349 Yellow - UHL Copy Blue - Client Copy 27919/11-01



The University of lows		Th	e l	Jn.	iversity	of.	Iow	ra								Purchase Order#
EST. 1904		CHA	UN	V-(OF-CI	US	ГО	D,	Y							
Contact Name		Phone				1				tysic I	(êg u	steil				Project Name and/or Number
Alex Sheffield	(225) 292 - 1004						Lin	Į	3						Bayon Lafourche TMDL	
Company	and the second	Fax						1		1						Collector's Phone#
ARCADIS (Cadmus Group	(226) 292-5210						17.7	4.2	Age						(225) 292-1004	
Address	Participation of the second						۱ ۷	3	Z	1 × 1						Print Collector's Name Alex 54 efficia
2900 West Fork Drive						٦.,	_	F	₹.¥	₹						
Suite 540			I	0.001621		الا ا	3	毛	13	2						Jennifer Ruley
City		State	1			غل ا	6	∤ ₹	M &	,ed						Collector's Signature
Baton Rouge		4	70827		· · · · · · · · · · · · · · · · · · ·	<u>_</u>	Chlorophy	T. Phos.	13.75 F. 3.	Dissolve						aly Suffield
					le Matrix	BoD	15	\$	[m3	3						
Sample ID/Description	- Date	Time		S	Other	U	₩Ÿ	-	₩	-			<u> </u>			Comments/UHL Sample Number UHL FDs:/-591 (CBOD20/TSS), 1-249 (Chlor
1. MSOIII	9/23/2003	10:15 A	X			$\perp \! \! \! \! \! \! \! \! \perp$	\coprod	1			0	<u> 3</u> C	9	65	<u>0 k</u>	2-410 (Nedwarts) 9-400 (Die Dottantes)
2. MSOIII (MS)	9/23/2003	10:15A	X			1		1		١	0	30	9	6.5	1	Matrix Spike to M50111 UHLIUS: 1-247 (CBODDO (TAB), 1-GO! (CASOT A) Matrix Spike Dup. to M5011
3. MSOIII (MSD)	9/23/2003	D:15A	X			1	\Box	1		1	0	3 ()	6.	1	1 VHL IDS: 1-244 (CAOD-1765) 1-955(CA
4.																Z-960 (Nutrients), 9-365 (Nis. 84)
5. CANOOD!	9/23/2003	12:009	×			1,	7	1		1	0	3 C	9	65	3	UHL 105: 1-593 (CBOD20 1555), 1-608 (CHA) 2-426 (Nutricals), 9-354 (Dies, dirring has
		 	 	 		† .	 	1.	 	.		80		55		UHL-IVS: 1-602 (EBOD20/ T53), 1-246 (CALONO
6. MS0293	9/23/2003	1:45P	X			$\perp \perp$	$\perp \!\!\!\!\perp$	1	<u> </u>		1 / 1	p U	9	(0,0)		2-948 (Nutrients), 9-422 (Dis. Orthor
7. CANOOOZ	9/23/2003	3:00P	X			1	1	t		1	0	30)	6	<u> </u>	UHL-10's: 1-15B(CB602d TS9), 1-227 (Chlor 2-(elb (Nutricats), 9-39(e(Dis. Onth
8.																
Relinquished by	The State of State of the State of the State of the State of State of the State of S	Date		ki di		Tim	ė		Coi	nmen	ts	(Alaph				
	TOP ILL	U 9-	23	-0	3	6	301	PM								
Relinguished by		Date				Tim	e j	7.	Cor	nmeni	s					
	<i>W</i>															
Sample receiving custodian		Date				Tim			Sample Receipt Comments							
MarciaDawsm		9-2	1/-	23	,	18	:45		1. #/each = (, 1-4/1-42, 1-4							1-49 ach DML 10
	Campus #H101 OF	•							e Ruile	dina				7		Yellow - UHL Cony

http://www.uhl.uiowa.edu

102 Oakdale Campus, #H101 OH Iowa City, Iowa 52242-5002 319/335-4500 Fax: 319-335-4555 H.A. Wallace Building 900 E. Grand Ave., Des Moines, Iowa 50319-0034 515/281-5371 Fax: 515/243-1349 Yellow - UHL Copy Blue - Client Copy 27919/11-01 alex Sheffild 9-23-2003

Custody Saal Alex Muffild 9-23-2003

Bayou Lafourche DO/Nutrients TMDL EPA Contract # 68-C-02-109, Task Order 0004 Intensive Survey Analytical Results Analyses Performed by University of Iowa-University Hygienics Laboratory

Sample	Date			Result		
Number	Collected	Collection Site	Test Description	Sign	Result	Unit
200309650	9/23/2003	mso111	Carbonaceous BOD (20 day)		5	mg/L
200309650	9/23/2003	mso111	Chlorophyll A		13	ug/L
200309650	9/23/2003	mso111	Chlorophyll B	<	1	ug/L
200309650	9/23/2003	mso111	Chlorophyll C	<	1	ug/L
200309650	9/23/2003	mso111	Corrected Chlorophyll A		7	ug/L
200309650	9/23/2003	mso111	Pheophytin		10	ug/L
200309650	9/23/2003	mso111	Ammonia Nitrogen as N		0.08	mg/L
200309650	9/23/2003	mso111	Nitrate + Nitrite Nitrogen as N		0.3	mg/L
200309650	9/23/2003	mso111	Ortho Phosphate as P		0.04	mg/L
200309650	9/23/2003	mso111	Total Phosphate as P		0.18	mg/L
200309650	9/23/2003	mso111	TKN		0.7	mg/L
200309650	9/23/2003	mso111	Total Suspended Solids		90	mg/L
200309651	9/23/2003	mso111 ms	Carbonaceous BOD (20 day)		5	mg/L
200309651	9/23/2003	mso111 ms	Chlorophyll A		10	ug/L
200309651	9/23/2003	mso111 ms	Chlorophyll B	<	1	ug/L
200309651	9/23/2003	mso111 ms	Chlorophyll C	<	1	ug/L
200309651	9/23/2003	mso111 ms	Corrected Chlorophyll A		3	ug/L
200309651	9/23/2003	mso111 ms	Pheophytin		10	ug/L
200309651	9/23/2003	mso111 ms	Ammonia Nitrogen as N		0.07	mg/L
200309651	9/23/2003	mso111 ms	Nitrate + Nitrite Nitrogen as N		2.72	mg/L
200309651	9/23/2003	mso111 ms	Ortho Phosphate as P		0.59	mg/L
200309651	9/23/2003	mso111 ms	Total Phosphate as P		0.65	mg/L
200309651	9/23/2003	mso111 ms	TKN		1.1	mg/L
200309651	9/23/2003	mso111 ms	Total Suspended Solids		120	mg/L
					_	
200309652	9/23/2003	mso111 msd	Carbonaceous BOD (20 day)		5	mg/L
200309652	9/23/2003	mso111 msd	Chlorophyll A		14	ug/L
200309652	9/23/2003	mso111 msd	Chlorophyll B	<	1	ug/L
200309652	9/23/2003	mso111 msd	Chlorophyll C	<	1	ug/L
200309652	9/23/2003	mso111 msd	Corrected Chlorophyll A	<	1	ug/L
200309652	9/23/2003	mso111 msd	Pheophytin		26	ug/L
200309652	9/23/2003	mso111 msd	Ammonia Nitrogen as N		0.07	mg/L
200309652	9/23/2003	mso111 msd	Nitrate + Nitrite Nitrogen as N		2.83	mg/L
200309652	9/23/2003	mso111 msd	Ortho Phosphate as P		0.57	mg/L
200309652	9/23/2003	mso111 msd	Total Phosphate as P		0.64	mg/L
200309652	9/23/2003	mso111 msd	TKN		1.2	mg/L
200309652	9/23/2003	mso111 msd	Total Suspended Solids		63	mg/L
200200050	0/02/0000	200001	Combonocous DOD (00 ster)			100 c: /I
200309653	9/23/2003	can0001	Carbonaceous BOD (20 day)		6	mg/L
200309653	9/23/2003	can0001	Chlorophyll A		22	ug/L
200309653	9/23/2003	can0001	Chlorophyll B		2	ug/L
200309653	9/23/2003	can0001	Chlorophyll C		3	ug/L
200309653	9/23/2003	can0001	Corrected Chlorophyll A		20	ug/L
200309653	9/23/2003	can0001	Pheophytin		2	ug/L

Sample	Date			Result		
Number	Collected	Collection Site	Test Description	Sign	Result	Unit
200309653	9/23/2003	can0001	Ammonia Nitrogen as N	<	0.05	mg/L
200309653	9/23/2003	can0001	Nitrate + Nitrite Nitrogen as N		0.3	mg/L
200309653	9/23/2003	can0001	Ortho Phosphate as P		0.06	mg/L
200309653	9/23/2003	can0001	Total Phosphate as P		0.13	mg/L
200309653	9/23/2003	can0001	TKN		0.48	mg/L
200309653	9/23/2003	can0001	Total Suspended Solids		16	mg/L
20000000	0/20/2000	04110001	Total Guopoliuda Goliud			g/ _
200309654	9/23/2003	ms0293	Carbonaceous BOD (20 day)		5	mg/L
200309654	9/23/2003	ms0293	Chlorophyll A		5	ug/L
200309654	9/23/2003	ms0293	Chlorophyll B	<	1	ug/L
200309654	9/23/2003	ms0293	Chlorophyll C	<	1	ug/L
200309654	9/23/2003	ms0293	Corrected Chlorophyll A	<	1	ug/L
200309654	9/23/2003	ms0293	Pheophytin		9	ug/L
200309654	9/23/2003	ms0293	Ammonia Nitrogen as N		0.09	mg/L
200309654	9/23/2003	ms0293	Nitrate + Nitrite Nitrogen as N		0.7	mg/L
200309654	9/23/2003	ms0293	Ortho Phosphate as P		0.1	mg/L
200309654	9/23/2003	ms0293	Total Phosphate as P		0.25	mg/L
200309654	9/23/2003	ms0293	TKN		0.6	mg/L
200309654	9/23/2003	ms0293	Total Suspended Solids		52	mg/L
200303034	3/23/2003	11130233	Total Suspended Solids		52	IIIg/L
200309655	9/23/2003	can0002	Carbonaceous BOD (20 day)		5	mg/L
200309655	9/23/2003	can0002	Chlorophyll A		4	ug/L
200309655	9/23/2003	can0002	Chlorophyll B	<	1	ug/L ug/L
200309655	9/23/2003	can0002	Chlorophyll C	<	1	ug/L ug/L
200309655	9/23/2003	can0002	Corrected Chlorophyll A		2	ug/L ug/L
200309655	9/23/2003	can0002	Pheophytin		3	ug/L
200309655	9/23/2003	can0002	Ammonia Nitrogen as N		0.09	mg/L
200309655	9/23/2003	can0002	Nitrate + Nitrite Nitrogen as N		0.7	mg/L
200309655	9/23/2003	can0002	Ortho Phosphate as P		0.08	mg/L
200309655	9/23/2003	can0002	Total Phosphate as P		0.19	mg/L
200309655	9/23/2003	can0002	TKN		0.19	mg/L
200309655	9/23/2003	can0002	Total Suspended Solids		100	mg/L
200309033	3/23/2003	Carloooz	Total Suspended Solids		100	IIIg/L
200309656	9/23/2003	ms0023-a	Carbonaceous BOD (20 day)		4	mg/L
200309656	9/23/2003	ms0023-a	Chlorophyll A		4	ug/L
200309656	9/23/2003	ms0023-a	Chlorophyll B	<	1	ug/L
200309656	9/23/2003	ms0023-a	Chlorophyll C	<	1	ug/L
200309656	9/23/2003	ms0023-a	Corrected Chlorophyll A	~	1	ug/L
200309656	9/23/2003	ms0023-a	Pheophytin		7	ug/L ug/L
200309656	9/23/2003	ms0023-a	Ammonia Nitrogen as N	<	0.05	mg/L
200309656	9/23/2003	ms0023-a	Nitrate + Nitrite Nitrogen as N		0.03	mg/L
200309656	9/23/2003	ms0023-a	Ortho Phosphate as P		0.08	mg/L
200309656	9/23/2003	ms0023-a	Total Phosphate as P		0.08	mg/L
200309656	9/23/2003	ms0023-a	TKN		0.52	mg/L
200309656	9/23/2003	ms0023-a	Total Suspended Solids		72	mg/L
200309030	312312003	11130023-4	Total Suspended Solids		12	my/L
200309657	9/23/2003	ms0023-b	Carbonaceous BOD (20 day)		5	ma/l
200309657	9/23/2003	ms0023-b	Chlorophyll A		7	mg/L
200309657	9/23/2003	ms0023-b	Chlorophyll B	<	1	ug/L
				<		ug/L
200309657	9/23/2003	ms0023-b	Chlorophyll C	`	1	ug/L

Sample	Date			Result		
Number	Collected	Collection Site	Test Description	Sign	Result	Unit
200309657	9/23/2003	ms0023-b	Corrected Chlorophyll A	<	1	ug/L
200309657	9/23/2003	ms0023-b	Pheophytin		10	ug/L
200309657	9/23/2003	ms0023-b	Ammonia Nitrogen as N	<	0.05	mg/L
200309657	9/23/2003	ms0023-b	Nitrate + Nitrite Nitrogen as N		8.0	mg/L
200309657	9/23/2003	ms0023-b	Ortho Phosphate as P		0.08	mg/L
200309657	9/23/2003	ms0023-b	Total Phosphate as P		0.28	mg/L
200309657	9/23/2003	ms0023-b	TKN		0.49	mg/L
200309657	9/23/2003	ms0023-b	Total Suspended Solids		75	mg/L